

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



Reserve

7.9

En 32 P

PC 100

UNITED STATES DEPARTMENT OF AGRICULTURE  
BUREAU OF AGRICULTURAL ENGINEERING

POWER ALCOHOL

(A partial list of references.)

Compiled by Dorothy W. Graf, Librarian,  
Bureau of Agricultural Engineering.

1933

THE UNIVERSITY OF CHICAGO  
LIBRARY

1911

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO  
LIBRARY

1911

1911  
1911



1933. Alcogas; proposals to blend alcohol from farm products with gasoline.  
Business Week. p.2. February 8, 1933.

Alcohol as auto fuel. Sci. Am. 148:118-119. February 1933.

Alcohol fuels in U.S. Oil Paint & Drug Rep. 123:26+  
January 30, 1933. Discussion. 123:14. February 20, 1933.

Alcohol-gasoline blend bills introduced in Congress. Nat. Pet.N.  
25:14-15. February 15, 1933. H.R.14627; H.R.14628.

Alcohol-gasoline fuel and the motorists. American Automobile  
Association, Washington, D. C. 1933. 11p. Shows the results  
of investigation of cost and efficiency of proposed fuel-blending  
schemes.

Alcohol-gasoline fuel now on sale at Illinois co-op stations.  
Nat.Pet.N. 25:19-20. March 15, 1933. Gasoline blended with  
10 per cent of alcohol. Sells at 3 cents gallon more than  
regular grade of gasoline.

Alcohol-gasoline fuels knock ratings tested. Oil Paint & Drug Rep.  
123:21-22. March 6, 1933.

Alcohol-gasoline mixture suggested as motor fuel. Science News Letter.  
23:116. February 25, 1933. Mixing with dry alcohol  
successful, so Czechoslovakia makes dilution imperative to  
encourage potato industry.

Alcohol in internal combustion fuels. Oil Paint & Drug Rep.  
123:15,20+ March 6, 1933.

Alcohol mixing bills would make motorists pay for corn price rise.  
Joseph Geschelin. Automotive Ind. 68:404-406,408. April 1, 1933  
Even two and three per cent additions now proposed would make  
resulting fuel cost more than gasoline. Solution of farm problem  
lies not in forceful substitution of agricultural products where  
non-agricultural products serve better as means of absorbing  
surplus farm production, but in adjustment of farm output to  
available markets. Alcohol mixing proposals are expedients which  
will not encourage this adjustment.

Alcohol motor fuel movement. Nat.Pet.N. 25:14-15. February 15,  
1933; 11-12. March 1, 1933.

Comment on the gasoline-alcohol fuel project. Farm Implement News.  
54:12-13. March 16, 1933.

Economic aspect of utilizing alcohols made from farm products as motor  
fuel blend. Oil and Gas Journal. 31:16,33. March 30, 1933.  
Discussion of Iowa State College investigations.



1933. Farm-brewed fuel; farmers would make motorists pay for farm relief. Business Week. p.14 $\frac{1}{2}$  March 15, 1933.
- Gas-alcohol bill in Iowa. Farm Implement News. 54:22. February 16, 1933. Measure would authorize state executive council to prohibit sale of motor fuel which does not contain percentage of alcohol fixed by council. Alcohol administrator would be appointed. Manufacturers would pay license fee and their profits should be limited to 10 per cent, all profits in excess of that amount to be recaptured by state.
- Gasoline-alcohol fuel tests. C.C.Crane. Farm Implement News. 54:13. March 16, 1933.
- Here's the best way to bring back better times that we've seen yet. 1933. 6p. Keystone steel and wire co. Research division. Peoria, Ill.
- Is alcoholic fuel the answer? Implement and Tractor Trade J. 48:8,20. April 8, 1933. Some official approval; effect on carburetors; more production is needed.
- Make part of motor fuel from grain is proposed as farm relief. Nat.Pet.N. 25:15. January 18, 1933.
- Manufacture and sale problems of gasoline-alcohol motor fuels. G.G.Brown. Oil & Gas J. 31:27 $\frac{1}{2}$  March 9, 1933.
- Many fallacies to arguments advanced in favor of laws requiring gasoline-alcohol blends. R.C.Conine. Oil & Gas J. 31:12 $\frac{1}{2}$  February 23, 1933.
- Motor fuels; use in foreign countries of substitutes for petroleum products. Index. 13:8-9,12-15. January 1933.
- New process for the production of absolute alcohol. R.Fritzweiler and K.R.Dietrich. Int. Sugar J. 35:29-32. January 1933. Discussion of the manner of assessing the value of dehydrating agents for the production of absolute alcohol for motor fuel. Trichlorethylene found to be most suitable material.
- One view of gasoline-alcohol fuel suggestion. Farm Implement News. 54:28. February 16, 1933.
- Plan to blend alcohol and gasoline in United States is held infeasible. Oil & Gas J. 31:28 $\frac{1}{2}$  January 26, 1933.
- Practicability of using a blend as motor fuel. C.C.Crane. 1933. 3p. mimeo. Keystone steel and wire co. Peoria, Ill.
- Production of industrial alcohol from grain by Amylo process. W.L.Owen. Ind. & Eng. Chem. 25:87-89. January 1933.



1933. Program of substituting alcohol for gasoline as motor fuel appears to be short-sighted. W.T.Ziegenhain. Oil & Gas J. 31:10 $\frac{1}{2}$  March 2, 1933.

Subsidy by motorists for relief of farmers: editorial. Nat.Pet.N. 25:13-14. February 22, 1933. More to proposal to compel sale of alcohol in motor fuel. Radical change in nature and characteristics of motor fuel is contemplated in plan to blend 10 per cent of farm alcohol, with straight motor gasoline. Would necessitate mechanical changes in carburetors to give efficient and satisfactory performance.

Use of agricultural products in the manufacture of chemicals to blend with motor fuels. Oil & Gas J. 31:10-11,29. March 16, 1933. Discussion of Iowa state college investigations.

Use of alcohol as fuel for small gas engines. S.R.Cruz and I.R.Ang. Phil. Ag. 21:613-627. February 1933.

Use of alcohol in motor fuels. Iowa state college of agriculture and mechanic arts.

Pt.I. Preliminary survey of the use of alcohol as motor fuel in various countries. 1932. 4p.mimeo.

Pt.II. Knock rating tests of alcohol-gasoline mixtures. 1932. 3p.mimeo.

Pt.III. Use of agricultural products in the manufacture of chemicals to be blended with motor fuels. 1933. 13p.mimeo.

Pt.IV. Construction and operating costs for corn alcohol plants. 1933. 6p.mimeo.

Pt.V. Some economic aspects of a program for the manufacture of fuel alcohol from corn. 1933. 8p.mimeo.

Use of grain alcohol in motor fuel involves many difficulties. Nat.Pet. N. 25:25. January 25, 1933. 1.Low mileage, 2.Alcohol blends cannot be used interchangeably with straight gasoline. Necessary to redesign carburetor, 3. Alcohol mixtures are hard starting in winter climates, 4. Tendency to separate into two layers of widely different characteristics.

Will gasoline, alcohol mix? J.B.Rathbum. Pet. Age. 27:22-23. January 1933.

1932. Alcohol as a petrol substitute in internal combustion engines. Int. R.Ag. 23:343T-345T. September 1932.

Alcohol como carburante nacional. R.de Ag.Cuba. p.3-6. October 1932.

Alcohol-gasoline motor fuels. H.I.Shoemaker. Sugar News. 13:676-681. October 1932.

Etat actuel de la question de l'alcool carburant. C.Schweitzer. Chimie & Ind. 28:12-22. July 1932.



1932. Fabrication de l'alcool anhydre par la methode azeotropique et son emploi dans les moteurs a combustion interne. A.Wiehe. Revue Agricole de l'Ile Maurice. no. 63. p.96-113. May-June 1932. Data and information are presented on methods of manufacture of absolute alcohol from molasses and other materials and on its use in internal combustion engines.
- How alcohol and benzol compete as motor fuels in world markets. Chem. & Met. Eng. 39:443. August 1932.
- Motor fuels in foreign countries. 35p. 1932. U.S. Bureau of Foreign and Domestic Commerce. Trade Information Bulletin no. 805.
- Question de l'alcool industriel; etat actuel. Callerot. Acad. Ag. France. Compt. Rend. 18:739-757. June 22, 1932.
- Tractor engine tests using gasanol, gastarla; pure kerosene, and mixtures of pure kerosene and crude oil as fuels. A.L. Theodore and J.Banson. Phil. Ag. 21:370-413. November 1932.
1931. Alcohol and acetylene as engine fuels. Power Pl. Eng. 35:173. January 15, 1931.
- Alcohol como combustible para automoviles. G.Vicunya C. Anales del Instituto de Ingenieros de Chile. 31:309-312. Investigations made in Department of manufacturing industries of Republic of Chile, in view of proposed legislation for compulsory addition of alcohol to gasoline used for internal combustion engine; results obtained in this regard in other countries.
- Alcohol law burdens French oil industry. Oil and Gas J. 29:119. April 23, 1931.
- Alcohol motor fuel in Brazil. Petroleum Times. 25:486. April 4, 1931. Motor-fuel situation with data on imports and prices; usga, manufactured in Alagoas is mixture of 42 per cent alcohol with 20 per cent of ether and 5 per cent of kerosene; azulina, manufactured in Pernambuco consists of 48 per cent alcohol (Cartier) mixed with 15 per cent ether and sufficient trace of methylene blue.
- Alcohol motor fuel in Europe. G.Kaltenbrunner. Facts about Sugar. 26:67-68,71. February 1931. Employment limited except where laws exist making use of mixed fuels compulsory; governmental regulation.
- Alkohol als autotreibstoff. K.R.Dietrich. Chemiker-Zeitung. 55:245-246. April 1, 1931. Characteristics of alcohol as fuel based on literature of last few years; physical and chemical properties; critical discussion of recommendations of Uhlmann on experiments carried out in Brazil in 1930.



1931. Comparative study of alcohol, gasoline and kerosene as fuels for tractor engines. A.L.Teodoro. Phil.Ag. 20:295-327. October 1931. In these tests, straight alcohol of different percentages, diluted and undiluted denatured alcohol were used as fuels and compared with gasoline (petrol) kerosene (paraffin) on four commercial tractor engines: one 10-20 h.p., one 15-25 h.p., and two 15-30 h.p. For best running and most economical fuel consumption the ignition points had to be retarded a few degrees from the maximum position and were a little earlier for alcohol fuels than for petrol or paraffin. Fuel consumptions per b.h.p. were greater for the alcohol fuels. Maximum power developed was greater with alcohol than with petrol or paraffin. Operation with alcohol gave smooth running, steady pull and absence of overheating preignition or knocking.

Compulsory adulteration of motor fuel. W.Russell. World Petroleum. 2:328-329. May 1931. Tendency of Government to force gasoline distributors to adulterate their product with alcohol and similar substitutes; data on present regulations and trends in Germany, France, Italy, Brazil and other countries.

Did you ever hear of usga or azulina? J.B.Rathbun. Pet. Age. 25:32-33. March 1931.

"Dynalkol" carburant national de la Republique Tchecoslovaque. E.Kostuk. Assn. des Chemistes de Sucrierie. Bul. 48:408-415. October 1931. Fuel is mixture of 50 per cent alcohol of 96.6 deg. purity, 30 per cent gasoline, and 20 per cent benzol.

Effect of variable compression ratio on the performance of tractor engine using alcohol. A.L.Teodore. Univ. of Philippines. Natural and applied science. Bulletin 1:187-221. 1931. Reports experimental work at Cornell university on a 10-20 h.p. tractor engine using as fuels straight alcohol of different strengths, denatured alcohol, gasoline (petrol) and kerosene (paraffin) and with compression ratios of 4.28, 5.03 and 6.43 to 1. With alcohol the engine could be run at loads from 1 to 25 h.p.; it ran more smoothly and with a lower radiator temperature, but required larger fuel passages than with paraffin. With petrol and paraffin and with a compression ration of 4.28 the most economical fuel consumptions per b.h.p. were between 3/4 and normal load; with alcohol it was either at full load or at the point of maximum power, which was usually higher with alcohol than with petrol or paraffin. Fuel consumption decreased and the maximum power increased with increasing compression ratios, but no satisfactory tests could be run with paraffin with a compression ratio of 5.03.

Empleo de alcohol como combustible para los automoviles. W.E.Cross. La Hacienda. 26:494-495. November 1931.

Engine performance at high compression ratios. H.E.Zuck. 1931. 53p. University of Michigan. Department of engineering research. Engineering research circular no.6.

Experiences with alcohol fuel in Sweden; abstracts. By E.Hubendick. Mach. Eng. 53:292-293. April 1931. Use dates back to 1911 when considerable amounts of ethyl alcohol were manufactured as by-product of cellulose industry; Swedish investigation has



1931. established what mixtures are permissible for various types of gasoline and alcohol; in practice enormous amounts of alcohol-gasoline mixtures have been used and no trouble from breakdown of mixture has been experienced.

French colonial motor fuels. Engineer. 151:594. May 29, 1931. Alcohol as fuel for internal combustion engines is under cloud, but by no means abandoned.

Fuel-alcohol in France. Engineer. 151:656. June 12, 1931. Office National des combustibles Liquides has reported to French government upon necessity of enforcing inclusion of at least 20 per cent of alcohol, which State will supply at same price as gasoline in motor fuels; attempts to make use of alcohol compulsory by automobile owners on Continent will not tend to cheapen fuel supplies, but they may, to certain extent, achieve object of rendering European countries partially independent of foreign supplies of gasoline and of helping agriculture.

Fuel data. 1931. 12p. Caterpillar Tractor co.

Fuel testing in slow and high speed diesel engines. L.J. LeMesurier and R. Stansfield. Inst. Pet. Tech. J. 17:387-418. 1931. Behavior of fourteen different fuels in both slow and high speed Diesel engines was investigated, including an examination of fuel consumption, fuel system leakage, combustion process, combustion shock, ease of starting, effect of dopes, effect of nozzle alterations and effect of changes in speed. Fourteen fuels comprised distillates and residues from mixed, naphthenic, naphthenic-aromatic and aromatic crude oils, blends of distillate and residue, gas oil from Scotch shale, creosote and kerosene.

Influence du combustible sur la puissance et la consommation du moteur. H. Petit. Vie Automobile. 27:579-580. November 10, 1931. Comparison of gasoline, alcohol and benzol with regard to operating economy.

Nuevo carburante para automoviles a base de alcohol. J. de Cardenas and R. Corvison. R. de Ag. Cuba. p.19-20. July 1931.

Posibilidad de emplear el alcohol etilico industrial como combustible para motores. A. Zanetta. Boletin de Informaciones petroliferas yacimientos e industrias. 8:79-81, 87-89, 91-94. February 1931. Review of research and experiment in various countries.

Power alcohol in Southern Rhodesia. C.L. Robertson. Rhodesia Ag. J. 28:949-953. October 1931.

Production of industrial alcohol from agricultural products. L.K. Arnold. 1931. 10p. mimeo. Iowa. Engineering extension service. Report no. 25.



1931. Sustitutivos de la gasolina. R. A. A. A. A. Revista de Ingenieria Industrial. 2:235-238, 316-322. August, October 1931. Review of research and practice in various countries, with purpose of becoming independent of foreign sources of gasoline; use of alcohol benzol and alcohol-benzol. Gasoline-alcohol; practice in France, Germany, Hungary, Poland, Australia, Brazil and Sweden.
- Ueber den Wassergehalt der Kraftstoffe und die Bestimmung desselben. M. Kremer. Petroleum. 27:443-445. June 10, 1931. Necessity of water determination in fuel mixtures which contain alcohol in addition to gasoline and benzol.
- Using alcohol in motor fuel in Germany, France and Italy. Chemicals. 35:8. January 26, 1931.
- Verwendung von spiritus als Treibstoff in Deutschland. K. R. Dietrich. Automobile-technische Zeit. 34:209-210, 234-235. March 31, April 10, 1931. Review of economic conditions of fuel market which resulted in legal adoption of alcohol mixtures; composition and operating characteristics of various mixtures with particular regard to Monopolin. Operating results with alcohol-gasoline mixtures and governmental regulations concerning ratios.
- Zur Frage der Herstellung von Alkoholkraftstoffen. K. R. Dietrich. Petroleum. 27:3-4. supp. May 13, 1931. Precautions to be observed in mixing of fuel alcohol with gasoline, benzol and other fuels.
1930. Absatzmöglichkeiten fuer Motorspirit. H. J. Stoewer. Technik und Wirtschaft. 23:295-299. November 1930. Use of alcohol as motor fuel is discussed in connection with recent law passed in Germany requiring admixture of alcohol to gasoline; graph illustrates production and consumption of alcohol, chiefly distilled from potatoes; financial situation of alcohol state monopoly.
- Alcohol as automotive fuel. P. W. Uhlmann. Petroleum. 26:4-6. October 22, 1930. Report of practical large-scale experiments, carried out by author in Brazil in 1916.
- Alcohol-petroleum motor fuels. T. Kuehlein. Petroleum Times. 24:402-403. September 6, 1930. Use of alcohol blended with imported petroleum fuel has been made compulsory under state order in Germany; discussion of behavior of alcohol in these composite motor fuels.
- Alcohol production for motors in Brazil. F. W. Freise. Int. Sugar J. 32:404. August 1930.
- Alkohol-Kraftstoffe und Spritbeimischungszwang. W. Ostwald. Chemiker-Zeitung. 54:645-646. August 20, 1930. German government because of oversupply of alcohol, has passed ordinance that 10 to 15 per cent of German motor fuel must be mixed with alcohol; properties of alcohol fuels and how it should be used.

1930. Alkoholkraftstoffe und Spritusbeimischungszwang: editorial.  
K.R.Dietrich. Chemiker-Zeitung. 54:796. October 11,  
1930.
- Aprovechamiento de las mieles y guarapos en la manufactura de  
combustibles para motor. H.Arnstein. R. de Ag. Cuba  
sup. p.32-49. December 1930.
- Blending alcohol with gasoline is compulsory in some countries.  
Oil and Gas J. 29:154+. December 11, 1930.
- Citas y compendios de la reciente literatura cientifica sobre el  
alcohol, como combustible para motor. H.Arnstein.  
R. de Ag. Cuba sup. p.74-100. December 1930.
1. 5. Fuels for internal-combustion engines. H.E.Degler. Motive Power.  
1:9-12,44;15-17,42;15-17. February, March, April, 1930.  
Classification, fuel-air mixtures, pressures, fuel con-  
sumption of solid and gaseous fuels; data on gaseous  
fuels. Uses and limitations of liquid fuels and their  
classification; factor in carburetor and manifold design;  
typical analysis of liquid fuels. Conclusion concerning  
proper selection of liquid fuels; typical performance  
curves of Diesel engine operating on fuel oil.
- Railroad motor cars operated by alcohol. Oil and gas J. 29:120.  
July 3, 1930.
- Ueber Erfahrungen mit Spirituskraftstoffen in Schweden.  
E. Hubendick. Petroleum. 26:3-9. December 10, 1930.  
History of development; experiences with alcohol  
mixtures; for conditions in Sweden fuel is required which  
contains no more than 20 to 25 per cent alcohol;  
properties and advantages of alcohol fuel.
- Volatility of motor fuels. G.G.Brown. 1930. 299p. University  
of Michigan. Department of engineering research.  
Engineering research bulletin no.14.
- Zur Frage der Herstellung von Alkoholkraftstoffen. K.R.Dietrich.  
Automobiltechnische Zeit. 33:792-793. November 30, 1930.  
Manufacturing problems in connection with German law  
requiring mixture of alcohol to motor fuels; precautions  
to be observed and preparation of mixtures.
1929. Alcohol: in industry and as a fuel. H. Arnstein. Chemicals.  
31:29-32. June 3, 1929.
- Alcohol fuels for use in internal combustion engines; alcohol-  
petrol-benzol mixtures. J.G.King and A.B.Manning.  
Inst. Pet. Tech. J. 15:350-368. June 1929. Results of  
experiments designed to indicate limiting factors in  
preparation of fuels, and to show how these fuels would  
behave in ordinary standard gasoline engine are given.



1929. Alcohol mixtures as motor fuels in South Africa. J.G.Rose and D.McMillan. Engineering. 128:305-307. September 6, 1929. Manufacture of motor fuel consisting of alcohol and ether, both of which are produced from molasses; results of tests on alcohol fuel discussed under following heads: ease of starting, running, knocking, consumption, running temperatures, effect on carburetor and pipes, engine condition, mixing properties, test-bed work.
- Alcohol motor fuels; abstract. M.C.Whitaker. Mech. Eng. 51:691. September 1929.
- Aspecto economico del alcohol como sustituto de la gasolina. J.M. Santos. Revista de la Sociedad Cubana de Ingenieros, 21:296-311. July-Aug., 1929. Discussion of costs of making alcohol from sugar-cane juice or molasses; gas and alcohol production; utility of gas and fermentation of molasses; discussion of comparative costs of alcohol and gasoline production.
- Brennstoffe fuer Lastautos. A.Lion. Foerdertechnik u. Frachtverkehr. 22:40-42. February 1, 1929. Power values and volumes; weight and prices; modes of combustion; anti-knock characteristics; density; standardization of fuel market; favorable properties of combustion and low prices; usage of motor alcohol in Germany and surrounding countries; economical viewpoints.
- Carburant colonial economique: l'alcool d'agave. V.Boyer. Genie Civil. 95:614-617. December 21, 1929. Statistical data on use of alcohol as automotive fuel in France and in French colonies; production of alcohol in French colonies; cultivation of agave plant and method of manufacturing alcohol and other products from it, including cost data; uses of agave products.
- Fuel vapor pressures and the relation of vapor pressure to the preparation of fuel for combustion in fuel injection engines. W.F.Joachim and A.M.Rothrock. Nat. Advisory Committee for Aeronautics. Report no.321. 13 p. 1929. Investigation of effects of high temperatures, during first stages of injection on vapor pressures of fuels and fuel mixtures, and relation of these vapor pressures to preparation of fuel for combustion in high-speed fuel-injection engines; gasoline, kerosene, Diesel-engine fuel oil, ethyl alcohol, methyl alcohol, benzol and gasoline, and aircraft engine lubricating oil tested. Bibliography.
- Motor spirit. E.Humboldt. Planter and Sugar Mfr. 82:101-103. February 9, 1929. Power alcohol, its production and its possibilities; experience has shown that best mixture for use in ordinary engines under normal conditions is strong alcohol with addition of 20 to 35 per cent of ether; value of alcoholic motor fuel, by comparison with petroleum products, is governed by supply and cost.
- Power alcohol production in Australia. Chem. Eng. & Min. Rev. 22:11-14. October 5, 1929. Description of distilling plant and practice at Shellkol, North Queensland; marketed product, known as shellkol, is blend of alcohol and gasoline, said to give more nip and power to engine, eliminating and deposit on cylinders and contingent knocking and pinking trouble.

1929. Untersuchung von Alkoholkraftstoffen. K.R.Dietrich and H.Jeglinski.  
Chemiker-Zeitung. 53:177-178,189-199. March 2,9, 1929.  
Most usual diluents for alcohol fuel are gasoline, benzol  
ether; presence of alcohols is detected by use of calcium-  
chloride solution or by addition of dye which is soluble only  
in alcohols; determinations are carried out and critical review  
of methods available is given.
- Usos industriales del alcohol. R. de Ag. Cuba. 10:19-22.  
April 1929.
1928. Agent de force motrice pour transports automobiles. M.Guiffort.  
Industrie de Voies Ferrees et des Transports Automobiles.  
22:199-203. July 1928. Report presented at 26th Interna-  
tional Congress, Rome, May 1928; review of question of  
automotive fuels, classification of systems used; vehicles  
using liquid fuels, gas and electric current.
- Alcohol for power purposes. Sir F.L.Nathan. Paper S.2, read  
before the 2d World Power Conference, London, October 1928.
- Alcohol for power purposes. Sir F. Nathan. Chem. Age.  
(Lond.) 19:283-284. September 29, 1928.
- Alcohol-gasoline blend shows advantages in road tests. Chem.  
& Met. Eng. 35:95. February 1928. Results of tests  
show that alcohol, added to gasoline in proportions 20 to 30  
per cent by volume, produced fuel which gives smooth operating  
conditions, easy pick up, smooth acceleration on hills, and  
freedom from fuel knocks.
- Alcool et les carburants de remplacement en Italie. Annales  
des Combustible Liquides. 3:143-145. February 1928.  
Legislation in Italy; production and use of alcohol; carburants  
replacing alcohol.
- Au sujet de l'utilisation de l'alcool methylique comme carburant.  
P. Duranois. Assn. des chimistes de Sucrierie et de  
Distillerie. Bul. 45:605-608. September 1928.  
Effect of using methyl alcohol in automobile engines is  
discussed.
- Britain experiments with alcohol for motor fuel. Oil Paint &  
Drug Rep. 114:32. October 15, 1928.
- Carburants modernes. E. Marcotte. Revue Industrielle.  
58:612-615,669-671. October, November 1928. Determina-  
tion of good fuel for public automobile transport; advantages  
of anti-knock fuels; description of qualities of many liquid  
fuels how they are produced and by whom in France.



1928. Carburants nationaux. G.Kimpflin. Revue Generale des Sciences. 39:700-703. December 31, 1928. General review of industrial ethyl and synthetic methyl alcohol and their uses as fuel for internal combustion engines.
- Cheap alcohol fuel. Petroleum Times. 19:868. May 12, 1928. Synthetic alcohol processes, developed in Germany, France and elsewhere; raw materials are gases obtained from coal or other fuel products; French process known as Prodor process; raw material is wood such as wood shavings, sawdust, and all kinds of wood waste; glucose can be made and stored until alcohol is required; probably not slightest cause for petroleum producer to feel anxious that cheap alcohol will replace petroleum motor fuel to any appreciable extent.
- Power alcohol in Australia. J.Reed. Nature. 121:175-176. February 4, 1928. Investigations directed towards economic manufacture of liquid fuels from black or brown coal are patently of considerable interest to Australia, particularly as processes would also furnish lubricating oils; Australian imports of gasoline and other petroleum products are increasing rapidly; possible Australian sources of power alcohol; fermentation of certain varieties of tubers; synthetic methods for production of power alcohol.
- Production of power alcohol from waste vegetable matters such as grass, straw and husks. Ann. App. Biol. 15:392-407. 1928.
1927. After petroleum - what? S.W.Dean, jr. Chemicals. 27:174 April 11, 1927.
- Alcohol as motor fuel. H.Arnstein. Prof. Eng. 12:9-114; 24-274. June, July 1927.
- Alcohol fuel and the nipah palm a popular outline. J.H. Dennett. Malayan Ag. J. 15:433-445. December 1927.
- Australian power alcohol. Engineering. 124:706-707. December 2, 1927. Review of report by G.A.Cook, on possibilities of power alcohols and certain other fuels in Australia, which that Government has published on behalf of its Council for Scientific and Industrial Research.

1927. Description of the N.A.C.A. universal test engine and some test results. Marsden Ware. Washington, D.C., 1927. 15p. National Advisory Committee for Aeronautics. Report no.250.
- Ethyl alcohol makes good showing in French fuel tests. Automotive Ind. 57:302-303. August 27, 1927. Starting of engine more difficult than with gasoline but in other respects results were up to standards; entrants divided into classes according to fuels used.
- Fuel for internal-combustion engines. F.L.Nathan. Soc. Chem. Ind. J. 46:211-220. June 17, 1927.
- Fuel for motor transport: Fourth memorandum. (Power alcohol from grasses, straws and waste vegetable materials.) 1927. Gt. Britain. Fuel Research Board.
- Motor fuel. Kansas City, Kansas City Testing Laboratory, 1927. 22p. Bulletin no.22.
- Motor fuels and anti detonators. Engineering. 124:256-257. August 26, 1927.
- Relation of motor fuel characteristics to engine performance. G.G.Brown. 1927. 129p. University of Michigan. Department of Engineering Research. Engineering Research Bulletin no.7.



1926. Alcohol en maquinas de combustion. J. C. Quevedo. Sugar.  
28:201. April 1926.
- Alkohol als motoren-Brennstoff. E. Fischer. Motorwagen.  
29:487-493. July 31, 1926. Investigates use of alcohol  
as automotive fuel and advantages of its use, as compared  
with disadvantages.
- Betrieb von Motoren mit Spiritusbrennstoffen. E. Hubendick.  
Automobile-Rundschau. 28:299-302;318-322. October 1,  
28,1926. Discusses mixtures of alcohol, water, benzol and  
benzine; and gasoline engine burning this fuel; fuel-air mix-  
tures; fuels containing 25 per cent alcohol, and 50 to 100  
per cent alcohol; adjustment of engine.
- Effect of changes in compression ratio upon engine performance.  
S. W. Sparrow. Washington, D. C., 1926. 22p. National  
Advisory Committee for Aeronautics. Report No. 205.
- Experiences with alcohol motor fuel. By J. D. Ross and W. R.  
Ormandy. Chem. and Industry. 45:273T-280T. August 13,  
1926. Modern researches into nature and behavior of various  
types of fuel in automobile cylinder, test to determine for any  
given speed lowest possible fuel consumption irrespective of  
power, and greatest mean pressure developed with reasonable  
economy; experiments demonstrated that alcohol, in small  
percentage through its anti-detonating power enables better use  
to be made of low-grade gasoline.
- Ethical side of alcohol in engineering; substitute for oil.  
H. Arnstein. Prof. Eng. 11:12-15. July 1926.
- Fuel and lubrication research. W. A. Whatmough. Automobile  
Eng. 16:329-330. September 1926.
- Gasoline and petrol. Jamaica Ag. Soc. J. 30:474-476.  
November 1926.
- Making alcohol-ether mixture in Cuba for motor fuel. E. Humboldt.  
Chem. and Met. Eng. 33:332-336. June 1926.
- Power alcohol production: Report. Gt. Britain. Ministry of  
Agriculture and Fisheries. Power alcohol committee. 1926.  
14p.
- Vapour pressures of fuel mixtures. J. S. Lewis. Inst. Pet.  
Tech. J. 12:32-47. February 1926.
1925. Alcohol motor fuel from molasses. E. C. Freeland and W. G. Harry.  
Ind. and Eng. Chem. 17:615-621,717-720. June-July 1925.  
Use of cane molasses for manufacture of motor fuel; equipment  
needed, methods of manufacture, yields, and cost data, with  
special reference to manufacture on sugar plantations; reasons  
for use of alcohol fuels, methods of chemical control, and  
research problems of industry. Use of alcohol and alcohol-  
gasoline mixtures; alcohol-ether mixtures.

1925. Alcohol motor fuels. M. C. Whitaker. Oil, Paint and Drug  
Rep. 108:XI, pt. 2. October 5, 1925. Chemicals.  
24:8. October 5, 1925.
- Alcohol para motores. Sugar 27:52. January 1925.
- Alcohol still unable to replace petrol. Nat. Pet. N. 17:58.  
July 29, 1925.
- Au sujet de l'utilisation des combustibles liquides. P. Dumanois.  
Academie des Sciences. Compt. Rend. 181:26-28. July 6,  
1925. Fuel consumption of automobile engine over long dis-  
tances averaged 22 liters per 100 km. with methyl alcohol,  
11.6 liters with mixture of 50 per cent of gasoline and 50 per  
cent of ethyl alcohol, 12.7 liters with mixture of 80 per cent  
gasoline and 20 per cent kerosene containing 2 per cent lead  
tetraethyl and 11.7 liters with mixture of 70 per cent gasoline  
and 30 per cent kerosene as above; although consumption of  
methyl alcohol is twice that of gasoline, equivalent calorific  
power is less; addition of 5 per cent of water to methyl  
alcohol prevents back firing, which frequently occurs, without  
detonation, however, with pure alcohol.
- Data on alcohol motor fuel in the Philippine Islands. H. Walker.  
Int. Sugar J. 27:82-83. February 1925.
- Fuel for motor transport: Third memorandum. (Power alcohol from  
root and tuber crops in Great Britain.) 1925. Great  
Britain. Fuel research board.
- Fuels and carburetors. P. M. Heldt. 1st edition. Nyack,  
N. Y., P. M. Heldt, 1925. 378p. Alcohol, p.287-301.  
Blended and miscellaneous fuels, p.302-316.
- Fuels for high-compression engines. S. W. Sparrow. Washington,  
D. C., 1925. 20p. National Advisory Committee for Aero-  
nautics. Report no. 232.
- Future of alcohol motor fuels. M. C. Whitaker. Planter.  
75:331. October 24, 1925.
- Futurs moteurs a alcool. R. Fouque. Chaleur and Industrie.  
6:159-165. April 1925. Discusses economic and technical  
side of alcohol as motor fuel in place of gasoline; binary  
and ternary mixtures; comparison of alcohol and gasoline.
- Power alcohol from root crops. Nature. 115:890. June 6,  
1925.
- Power alcohol problem. H. Langwell. Indus. Chem. 1:14-  
16. February 1925. Describes from an economic standpoint  
possibilities of production of power alcohol from enormous  
quantities of cellulosic material at our disposal, not only  
at home in form of waste straw and fibrous material, but also  
abroad in form of tropical vegetation; shows that alcohol as  
a fuel for internal combustion engines is not necessarily in-  
ferior to gasoline.



1925. Synthetic motor fuels. R. Furness. Indus. Chem. 1:475-480. November 1925. Production and economic significance of methyl alcohol, ethyl alcohol, benzene, synthol, etc.
- What chemists are working on for future fuels. D. H. Killeffer. Automotive Mfr. 67:23-25. July 1925. How science is working to produce satisfactory substitute fuels for our gasoline, which will soon be exhausted; benefits of alcohol and other fuels.
1924. Alcohol as a source of power. C. H. Bedford. World Power Conference. Transactions. 3:329-344. 1924. Sources of alcohol production; factors in connection with tropical manufacture of alcohol; alcohol mixtures as fuels; calorific value; ignition temperature; lubrication; starting and consumption. Brings with special reference to the British Empire, into prominence certain broad aspects of problem of placing sufficient power alcohol on the market to supplement the waning supplies of petrol throughout the world.
- Carburizacion del alcohol. A. W. Scarratt. Sugar. 26:58-59. January 1924.
- Combustibles et carburents coloniaux. R. Fouque. Genie Civil. 86:315-318. October 11, 1924.
- Essais au banc des melanges alcool plus essences lourdes. O. W. Watson and W. R. Ormandy. Chimie and Industrie. Special no. May 1924. p.276-280. Experiments show that addition of alcohol causes large increase in proportion volatile below 90 deg., and raises curve during whole course of distillation; increased volatility at 90 deg. doubtless improves running of engine; it is apparently advantageous to add alcohol to poor spirits, and difficulties due to separation of liquids were not experienced; results obtained on buses in regular service with gasoline-alcohol mixture confirmed those obtained on test bench.
- French automobile fuels. Chaleur and Industrie. Supp. to December 1924. 263p. Alcohol as automobile fuel, by M. Barbet.
- Motor fuel from molasses. Boston, Mass., W. E. Lummus Co., 1924. 62p.
- Neue Benzolspiritus 20 - 80. Allgemeine Automobil-Zeitung. 25:13. November 15, 1924. Discusses new fuel, a state monopoly, and its management.
- Power alcohol from beet. Soc. Chem. Ind. J. 43:1268-1269. December 19, 1924.
1923. Adoption par la Chambre des Deputes d'un carburant national permettant l'utilisation de l'alcool industriel. A. Grebel. Genie Civil. 82:128-130. February 10, 1923.

1923. Alcohol, the motor fuel of the future. C. C. Green. Chem. Age. (Lond.) 9:84-85. July 28, 1923. Description of sources and manufacture of alcohol; tabulated comparison of characteristics of alcohol, gasoline and benzol, with deductions drawn therefrom; results from practical experience in use of alcohol mixture in modern motor car.
- Alcohol as a motor fuel constituent. H. A. Gardner. Ind. and Eng. Chem. 15:483-485. May 1923.
- Alcohol from sugar. Sugar. n.s. 58:sup.8-10. July 20, 1923.
- Alcohol yields higher thermal efficiency than other fuels. Automotive Ind. 48:876-877. April 19, 1923. Tendency to preignition is noted with 7 to 1 ratio; increase in water content up to 10 per cent is advantage especially under high compressions; no corrosion in engine. From interim report of British Empire Fuels Committee.
- Blended fuels for automotive engines. J. C. Smallwood. Mech. Eng. 45:577-578. October 1923. Study of mixtures of other fuels with gasoline with respect to power they develop, cost per h.p.-hr., and overall economy and their value as means of relieving gasoline shortage. (Abstract)
- Carburant national: Etude sur sa constitution possible. C. Legrand. Chimie and Industri. 10:411-428. September 1923. Study of an extensive series of binary, ternary and quaternary mixtures of alcohol, benzol, gasoline and ether, with reference to their stability and satisfactory functioning as internal-combustion engine fuels.
- Carburetion of alcohol. A. W. Scaratt. Sugar. 25:662-663. December 1923. Factors necessary to successful use of alcohol in combustion engines.
- Compte rendu des etudes et essais entrepris par la Compagnie Generale des Omnibus de Paris et la Societe des Transports en Commun de la Region Parisienne en vue de l'emploi de carburants a base d'alcool. Societe des Ingenieurs Civils de France. Memoirs et Compte Rendu des Travaux. 76:81-149. January-March 1923. Tests made by Compagnie Generale des Omnibus de Paris and Societe des Transports en Commun de la Region Parisienne with a view to using motor fuels with alcohol base. History of studies and tests made, 1905-1920.
- Congres et l'Exposition des combustibles liquides. Ch. Berthelot. Revue de Metallurgie. 20:112-129, 175. February, March 1923. Discusses petroleum shales, lignites, tar and benzols, alcohol, and vegetable oils, Diesel and semi-Diesel engines.
- Emploi de l'alcol comme carburant; procedes de preparation. E. Grandmougin. Genie Civil. 83:5-8. July 7, 1923. Discusses question of production on large scale and low price; processes for production including chemicals; improvements necessary in fermentation process; use of beet sugar.



1923. Espiritus de motor y el etilo. L. J. Lavedan. El Mundo Azucarero.  
11:12-13. August 1923.

French government to sell alcohol below cost. Automotive Ind.  
48:877. April 19, 1923. Bill passed requiring French im-  
porters of gasoline to add 10 per cent of alcohol to fuel.  
Disadvantages: Impossible to dissolve completely 95-96 per  
cent alcohol in gasoline; less heat value than gasoline; it  
was felt that some standard proportion should be adopted and  
that 10 per cent of present gasoline consumption of France is  
about equal to its alcohol production.

Fuels for internal combustion engines, with special reference to  
alcohol production. Frederick Nathan. Fuel in Sci. and  
Practice. 2:249-254. September 1923. Survey of possible  
substitutes for gasoline for use in internal-combustion engines.

Further data on the effective volatility of motor-fuels. R. E.  
Wilson and D. P. Barnard. Soc. Auto. Eng. J. 12:287-292.  
March 1923. Test results of 14 fuels; improvements made in  
manner of preparation of equilibrium solution and in apparatus  
used for measurement of vapor pressures; data on fuels; table  
showing comparison of more important properties of fuel.

Gasoline and alcohol as fuels of the future. Sci. Am. 128:381.  
June 1923.

Motor fuel symposium. Indus. and Eng. Chem. 15:476-488.  
May 1923. Alcohol as a motor-fuel constituent, by Henry A.  
Gardner.

Motor spirit and gasoline. Jamaica Ag. Soc. J. 27:1023-1024.  
November 1923.

Paris buses test efficiency of alcohol as engine fuel. Automotive  
Ind. 49:257. August 9, 1923. Experiments show 50-50  
mixture with benzol best from dual standpoint of stability and  
economy; product should be of highest purity to reduce oxidation  
and carbonaceous deposits.

Power from prickley pears. E. E. Slosson. Sci. Monthly.  
16:557-559. May 1923.

Probleme du carburant national en France. Soc. Ing. Civils Bul. 76.  
p.31-294. January 1923.

Production of power alcohol in the British Empire. Can. Chem. and  
Met. 7:250. October 1923.

Testing fuels for high-compression engines. S. M. Lea and S. W.  
Sparrow. Soc. Auto. Eng. J. 12:11-16. January 1923.  
Concerned with certain of methods used and results obtained in  
two investigations of fuels for high-compression aviation en-  
gines. Fuels in question are benzol and ethyl alcohol, either  
alone or as blended with gasoline. Graphical representation has  
been made to illustrate relation between compression pressure,  
compression-ratio, volumetric efficiency and indicated power in  
order that effect on detonation of changing engine conditions may  
be estimated. Results characterizing performance of different  
fuels are mentioned and particular attention is directed to  
cases where these results are in contrast with current opinion.

1923. Utilizacion de las mieles en la fabricacion de combustibles para motores. H. Arnstein. El Mundo Azucarero. 10:111-115, 144-146, 175-178, 206-207. November 1922-February 1923.
1922. Alcohol as motor fuel. Nor'-West F. 41:424. April 20, 1922.
- Alcohol as a motor fuel in Brazil. C. R. Cameron. Sugar. 24: 451-452. August 1922.
- Alcohol en Cuba. C. L. Jones. Sugar 24:300. May 1922.
- Alcohol en maquinas de combustion. Sugar 24:122. June 1922.
- Alcohol for internal combustion engines. Engineer. 133:534. May 12, 1922. Account of experiments carried out with 95 volume per cent alcohol by Empire Motor Fuels Committee.
- Alcohol for motor fuel. Soc. Auto. Eng. J. 10:364-365. May 1922. Possibilities of more general use and points in favor of and against it.
- Alcohol fuel mixtures. H. R. Adam. Chem. Met. and Min. Soc. of S. Africa. J. 23:112-118. December 1922. Examination of typical mixtures with some reference to economic conditions in South Africa.
- Alcohol in commerce and industry. C. Simmonds. London, Pitman and Sons, 1922. 119p.
- Alcohol motor fuel research. Petroleum Times. 7:711-712. May 20, 1922. Report of four series of tests which showed that all speeds, both with high and low compression, thermal efficiency obtained with alcohol was higher than that obtainable with petrol or benzol at any compression which could be employed with them.
- Automotive engineering development rests largely on fuel research. H. Chase. Automotive Ind. 46:1219-1231. June 8, 1922. Dependence upon foreign fuel supplies increases with decline of domestic reserves. Gasoline substitutes, especially alcohol, are already extensively used in other countries, but are not available in significant quantities in this country. Cracking processes being developed. Fuel volatility affects utility.
- Carburant national. A. Mailhe. Journal des Usines a Gaz. 46:257-259. September 5, 1922. Importance assumed by automotive fuels; types of fuels developed in France and Germany.
- Carburant national et l'industrie de la distillation. Mariller. Chimie & Ind. 7:1071-1078. June 1922.



1922. Carburant national obligatoire. Journal de Petrole. 22:2-4.  
December 1922. Text of proposed law, introducing from April 1,  
1923, compulsory use of denatured alcohol to the extent of 10  
per cent by volume of fuel.

Congrès des combustibles liquides et l'agriculture. Lindet.  
Acad. Ag. France. Compt. Rend. 8:854-861. November 15,  
1922.

Detonation characteristics of blended motor fuels. Thomas  
Midgley, Jr. and T. A. Boyd. Soc. Auto. Eng. J. 10:451-  
456. June 1922. 11:247. September 1922. Effects  
of admixtures of various percentages of alcohol and alcohol-  
benzine for reducing detonating tendency of paraffin hydro-  
carbons.

Detonation characteristics of several blended motor fuels.  
Thomas Midgley, Jr. and T. A. Boyd. Nat. Pet. N. 14:59-  
60, 63-64, 67-68. July 5, 1922. Benzol, alcohol, and  
kerosene combinations decided by bouncing-pin apparatus.

Etude de la question des carburants en France. A. Grebel.  
Genie Civil. 81:537-541, 558-563. December 9, 16, 1922.  
Comparative value of different motor fuels and liquid fuels;  
their calorific; alcohols from beet sugar, molasses and  
grain; tabulation of fuels produced from mineral and  
vegetable material.

France may make use of alcohol mixture compulsory. Automotive  
Ind. 46:1122. May 25, 1922. Use of alcohol mixture  
as a so-called national fuel would reduce gasoline imports  
and stabilize the wine and sugar beet industry by utilizing  
the surplus product converted into alcohol. Plan tax on all  
wine and cider marketed to enable alcohol mixture to be sold  
as cheaply as gasoline.

Industrial alcohol production and uses in the Philippines.  
H. I. Cole. Chem. Age. 30:489-492. November 1922.

Information on industrial alcohol. W. W. Skinner. 1922.  
11p. mimeo. U. S. Department of Agriculture. Bureau of  
Chemistry.

Motor tests with alcohol. Roy Alden. Oil News. 10:37  
September 5, 1922. Exhaustive tests in India on single-  
cylinder engine show alcohol makes better motor fuel than  
gasoline; detonation eliminated. (Abstract) Report of  
Imperial Motor Transport Council of India.

1922. Possibilities of the plant growth of the moist tropics to furnish materials for liquid fuel. H. N. Whitford. Ind. & Eng. Chem. 14:151-152. February 1922. Reviews possibility of tropics to produce crops of foodstuffs and wood capable of application to manufacture of cellulose and alcohol.
- Power alcohol. G. W. Monier-Williams. N. Y., Oxford Univ. press, 1922. 323p.
- Power alcohol, its production and utilization. H. Frowde. London, 1922. 323p. Extensive lists of references are found at end of each chapter.
- Question du carburant national. C. Mariller. Technique Moderne. 14:497-499. November 15, 1922. Pure alcohol, and mixed fuels; engines running on alcohol and alcoholized fuels.
- Recent research work on the internal-combustion engine. H. R. Ricardo. Soc. Auto. Eng. J. 10:305-336. May 1922.
- Situacion del espiritu motor alcoholico en Cuba. R. G. Tillery. El Mundo Azucarero. 9:166-167. January 1922.
- Testing alcohol-benzol fuel. W. F. Bradley. Motor Transport. 35:29-30. July 3, 1922. Results obtained by Paris Omnibus Co., with over a thousand buses running on 50 per cent mixtures.
- Use of alcohol as fuel in exported vehicles. H. Chase. Automotive Ind. 46:771-773. April 6, 1922. Use of alcohol in Spanish-American countries because of less cost, and adaptation of vehicles for use of alcohol. Discusses problems met in its use and suggests remedies.
- Uso del benzol i del alcohol como combustible en los automoviles. O. Navarro. Sociedad de Fomento Fabril. Boletin. 39: 487-497, 634-641. August, October 1922. Discusses motor fuels in various countries; gives table showing work done per liter of pure benzol, alcohol and various mixtures of the two; tables of test data with Mercedes motors and carburetors.
1921. Alcohol as a combustion fuel. E. C. Freeland and W. G. Harry. Sugar. 23:432-444, 474-475, 536-538. August-October 1921.
- Alcohol as locomotive fuel. Sci. Am. 125:102. August 6, 1921.
- Alcohol in combustion engines. Sugar. 23:659-660. December 1921.
- Alcohol para automoviles. H. Chase. Sugar. 23:345. June 1921.
- Alcohol para fuerza motriz de los tropicos. F. I. Scard. El Mundo Azucarero. 9:88-89. October 1921.



1921. Alcohol para la maquina de combustion. E. C. Freeland and W. G. Harry. Sugar. 23:578-580. October 1921.
- Alcohol para motores en la Guayana Inglesa. El Mundo Azucarero. 9:123. November 1921.
- British power-alcohol research. Sci. Am. 124:430. May 28, 1921.
- Carburetion of alcohol. A. W. Scarratt. Soc. Auto. Eng. J. 8:328-330. 1921.
- Character of various fuels for internal-combustion engines.  
H. T. Tizard and D. R. Pye. Automobile Eng. 11:55-59, 98-101, 134-137. February-April 1921. Theoretical investigation of influence of specific heat and dissociation of working fluid, made preliminary to experimental investigation conducted by H. R. Ricardo. Calculation of final temperature and work done during expansion.
- Data concerning the advantages, production and cost of natalite motor fuel. Int. Sugar J. 23:147-153, 213-216, 266-270, 386-392. 1921.
- Economical utilization of liquid fuel. Carl A. Norman. 1921. 206p. Ohio Engineering Experiment Station. Bulletin No. 19.
- Foster process alcohol: Fuel for internal combustion engines made from waste molasses. R. R. Hind. Facts about Sugar. 12:91. 1921.
- Freezing points of alcohol-water mixtures. Automotive Ind. 44:564. March 10, 1921.
- Industrial and power alcohol. R. C. Farmer. N. Y., Pitman and Sons, Ltd., 1921. 110p.
- Influence of various fuels on engine performance. H. R. Ricardo. Automotive Ind. 45:804-807, 856-862, 1003-1007, 8-13, 17, 211-216, 465-470, 477, 516-519. April 14, 21, May 12, 1921; July 7, August 4, September 8, 15, 1921. Most thorough and important investigations of engine fuels ever conducted.
- Motor fuel from vegetation. T. A. Boyd. Ind. and Eng. Chem. 13:836-841. September 1921.
- New motor spirit. Sci. Am. M. 3:179. February 1921.

1921. Note sur l'utilisation dans les moteurs, des melanges d'alcohol et d'essence. . . Nicolardot. . . Technique Automobile et Aerienne. 12:116-124; 13:18-21. 1922. Discusses solubility of alcohol in gasoline and experiments made for French War Office. Gives curve diagrams for solubility limits of alcohol, gasoline, benzol, and explains their application. . .
- Possibilities of alcohol for fuel. A. H. Gilbert. Ag. Eng. 2:5-6. January 1921. Summary of research conducted by technical institutions and governmental agencies.
- Power alcohol in the United Kingdom. F. I. Scard. Int. Sugar J. 23:434-435. August 1921.
- Production of 95-97 per cent alcohol for motor fuel. Int. Sugar J. 23:513-516. September 1921.
- Rechentafel fur Mischkraftstoffe. Wa. Ostwald. Chemiker-Zeitung. 45:897. September 17, 1921. Presents triangle chart for determination of specific weight and heating value for mixtures of benzol, tetraline and alcohol when percentage weight of composition is known.
- Research on alcohol as a fuel for internal combustion engines. H. B. Dixon. Automotive Ind. 44:211-215. February 3, 1921. Basic data on vapor pressure, ignition temperature, movement of flame through explosive mixtures, and detonation of vapor of alcohol, gasoline, benzol and various mixtures of two of these fuels.
- Significance of alcohol in the motor fuel problem. B. R. Tunison. Automotive Ind. 44:14-17. January 6, 1921. Advantages of and need for using synthetic fuel containing alcohol. Data regarding performance of engine using alcohol.
- Staring on alcohol. Soc. Auto. Eng. J. 9:319. November 1921.
- Testing of motor fuels. T. A. Boyd. Automotive Ind. 45:712-715, 768-772. October 13-20, 1921.
- Trabaja con alcohol. Ag. News. 20:363. November 12, 1921.
- Undersokningar a Spritmotorer. E. Hubendick. Teknisk Tidskrift (Mekanik) 51:25-31, 45-52, 69-73. February 9, March 9, April 13, 1921. Comparison of efficiency and weight of engines for alcohol and for gasoline with same dimensions and same power. Basic principles of design. Results of tests show degree of compression to be from 7 to 9 for alcohol alone or mixed with gasoline or benzol. In spite of high degree of compression, output remains practically unchanged. Alcohol engines with flywheel are 20 per cent heavier than gasoline engines and 15 per cent dearer.



1921. Use of alcohol made from molasses as a motor power in Cuba. R. G. Tillery. Louisiana Planter and Sugar Mfg. 67:142-143. 1921.

Uso del alcohol fabricado de las mieles finales como espiritu-motor en Cuba. R. G. Tillery. El Mundo Azucarero. 9:73-77. October 1921.

1920. Acetol new gasoline substitute. Eng. N. 85:924. November 11, 1920.

Alcohol as fuel. Automobile Eng. 10:157-160. April 1920. Survey of chemical and physical properties of alcohol which determine its adaptability as motor fuel.

Alcohol as fuel. J. L. Chaloner. Automobile Eng. 10:183-185. May 1920. Notes on design and construction of alcohol engines.

Alcohol-benzol fuels are found satisfactory abroad. Power Wagon. No. 191. p.22. October 1920. Higher efficiency and easier starting is claimed for such fuels by London General Omnibus Co., who have experimented with them under service conditions. Mixtures used have been 50 per cent alcohol and benzol.

Alcohol-benzole mixtures. Motor Traction. 30:572. June 14, 1920. Results of experiments made by London General Omnibus Co., with 50 per cent mixtures of alcohol and benzol are said to show the slight superiority of gasoline in respect of miles per gallon.

Alcohol for fuel. J. Eastwood. Cal. Cultivator. 54:700. April 24, 1920.

Alcohol-fuel mixtures. Soc. Auto. Eng. J. 7:345. October 1920.

Alcohol fuel patents. Motor Traction. 31:310-311. September 27, 1920. Legal considerations affecting their validity.

Alcohol may permit use as motor fuel of heavy hydrocarbons. J. V. Meigs. Nat. Pet. N. 12:49. February 4, 1920.

Alcohol minor factor in motor fuel field, investigating Solon is told. Nat. Pet. N. 12:25-26. July 7, 1920.

Benzole-alcohol experiments on omnibuses. G. J. Shave. Engineering. 110:623-624. November 5, 1920.

1920. Combustion of fuels in internal-combustion engines. C. F. Kettering. Soc. Auto. Eng. J. 7:224-227. September 1920. Regulating combustion by addition of chemicals to fuels. It is visualized that if, for example, automotive industry could get chemical industry to increase coal-tar production of country, enabling aniline to be sold at \$2 per gallon, and automotive industry would use 1 per cent, then compression of automobile engines could be raised to 100 lbs. and thus efficiency of normal running almost doubled.
- Combustion of fuels in the internal combustion engine. T. Midgley. Soc. Auto. Eng. J. 7:489-497. 1920.
- Composite fuels. J. E. Pogue. Soc. Auto. Eng. J. 6:47-48. January 1920. Possibilities of developing composite fuels or blends for internal combustion engines are pointed out.
- Driving automobiles on sugar. World. 33:669. June 1920.
- Fuel for internal-combustion engine. Eng. 109:150. January 30, 1920. Properties of "natalite", a fuel manufactured at Natal, South Africa, composed of 54 per cent ethyl alcohol, 45 per cent ether, and 1 per cent trimethylamine.
- Fuel for motor transport. Ag. News. 19:276. September 4, 1920.
- Fuel for motor transport; power alcohol supplies. London Times Trade sup. 6:510. July 24, 1920.
- Possibilities of alcohol as fuel. J. E. Pogue. Power. 51:177. February 3, 1920.
- Power alcohol. Engineer. 130:481. November 12, 1920.
- Power alcohol. Times Eng. supp., 16:274. September 1920. Possible sources of alcohol supply in United Kingdom.
- Power alcohol; need for active policy. London Times Trade sup. 6:539. July 31, 1920.
- Power alcohol and acetone; developments in India. London Times Trade sup. 6:526. July 31, 1920.
- Recent patents on mixed fuels. W. R. Ormandy. Petroleum World. 17:103-106. March 1920. Recent patents are reviewed and nothing new is found in any because, it is said, it is well known that such liquids as kerosene, gasoline, benzol, alcohol, ether, acetone, will either mix in any proportion, or in restricted proportions, and that by admixture of gasoline with benzol, a certain amount of alcohol which would not dissolve in gasoline alone can be caused to dissolve in mixture.



1920. Recherches physico-chimiques sur les carburants liquides.  
G. Baume and others. Chimie and Ind. 3:761-768.  
June 1920.
- Researches on alcohol as an engine fuel. B. B. Dixon. Soc.  
Auto. Eng. J. 7:521-524. 1920.
- Shall the corn fields run our cars? R. G. Skerrett. Sci.  
Am. 123:274 September 18, 1920. Possibilities of  
synthetic fuels, and the source of the alcohol to make them.
- Three new sources of fuel alcohol. Automotive Ind. 42:80-83.  
January 8, 1920.
- To run autos with molasses. Literary Digest. 64:101-103.  
February 21, 1920.
- Why not grow engine fuel? E. Hendrick. Nation's Business.  
8:34 August 1920.
- 192?. Memorandum regarding the possibility of use of alcohol motor fuels  
in the U. S. 5p. mimeo. 192? Standard Oil Co.
1919. Alcohol. C. Simmonds. London, Macmillan and Co., Ltd., 1919.  
558p.
- Alcohol as a motor fuel. Joseph V. Meigs. Chem. Age.  
1:265-268. December 10, 1919. Its possibilities.
- Alcohol as motor fuel. Times Eng. supp., No. 537. p.223.  
July 1919. Conditions of use.
- Alcohol as motor fuel. Autocar. 43:10-11. July 5, 1919.  
Summary of report of government's alcohol committee. Report  
does not specifically advocate modification of engines so as  
to use alcohol, but favors rather employment of alcohol mix-  
tures in existing engines.
- Alcohol fuel committee's report. Mech. Eng. 41:696.  
August 1919.
- Alcohol motor fuel. Engineer. 128:17-18. July 4, 1919.  
Report of committee appointed by British government to con-  
sider and report upon available sources of supply, methods of  
manufacture and cost of product; suitability, either alone or  
in admixture with other combustibles, for use in internal-  
combustion engines, and modifications of existing types of  
such engines which may be necessary to attainment of efficiency,  
and question of denaturing alcohol, and alterations to be  
made in present excise arrangements.

1919. Fuel. Automotive Ind. 40:356-357. February 13, 1919.  
Possibilities of benzol, alcohol and shale distillate as substitutes for gasoline.
- Is alcohol dead? J. P. Heritage. Sci. Am. Sup. 88:242  
October 25, 1919.
- Natalite fuel. H. A. Findley. Automotive Ind. 40:59.  
January 9, 1919.
- New and novel uses for solidified alcohol. Sci. Am. 120:438.  
April 26, 1919.
- Possibilities of new fuel mixtures for internal combustion engines.  
E. Humboldt. Power. 50:418-420. September 9, 1919.  
Concerning production of cheap and cleaner substitute for gasoline by mixing with engine distillate a small amount of ether or alcohol.
- Ueber Fahrzeugmotorenbetriebsstoffe. O. Dommer. Oel und Gasmaschine. 16:49-50. July 1919. Table showing evaporating speed of benzol, bensine, kerosene and alcohol.
- Utilization of industrial alcohol and hydro-carbides for carburetting in France. Int. R. Sci. & Prac. Ag. 10:98-99. January 1919.
1918. Alcohol as a fuel for internal combustion engines; abstracts.  
Mach. 24:708. April 1918.
- Australian commission favors alcohol as a fuel. Automotive Ind. 38:1037. May 30, 1918.
- Crops for the production of power-alcohol. W. R. Grinewade. Australia. Advisory council of science and industry. Bulletin no. 7. 153-159p. 1918.
- Fuel for automotive apparatus. E. W. Dean. Automotive Ind. 38:224-228,251. January 24, 1918. Distillation curves of the different fuels and their adaptability to present day engines. Use of alcohol.
- Manufacture of fuel alcohol from sawdust and timber waste. B. C. Aston. J. Ag. New Zealand. 16:286-287. May 1918.
- Mixtures of alcohol with various other liquid fuels. Sci. Am. Sup. 85:339. June 1, 1918.
- Motor fuel problem. W. R. Ormandy. Inst. Pet. Tech. J. 5:33-36. 1918.



1918. New engine fuels. Sci. Am. 119:194. September 7, 1918.
- Novel uses for alcohol in solidified form. Sci. Am. 119:523.  
December 28, 1918.
- Power-alcohol: Proposals for its production and utilization in  
Australia. Australia. Advisory council of science and  
industry. Bulletin no. 6. 1918.
- Power alcohol; a substitute for petrol. J. Dept. Ag. Victoria.  
16:115-117. February 1918.
1917. Alcohol a substitute for gasoline. Power F. 26:56. March 1917.
- Alcohol and hydrocarbons as fuels. Am. Soc. M. E. J. 39:1042.  
December 1917.
- Alcohol as fuel. Mach. 23:513. February 1917.
- Alcohol as a source of power. W. T. Rowe. Engineer. 124:  
471-472. November 30, 1917. Its use as a fuel for in-  
ternal combustion engines; sources of alcohol and cost of pro-  
duction.
- Alcohol fuel for Britain. Automobile. 36:1108. June 7, 1917.
- Australia and alcohol fuel. Autocar. 39:304-305.  
September 29, 1917. First report of the Special Committee  
of the Commonwealth Advisory Council of Science and Industry.
- Australia wants alcohol fuel. Automobile. 37:669-670.  
October 18, 1917.
- Fuel alcohol. Engineer. 124:232. September 14, 1917.
- Fuel alcohol in Australia; Committee report. Engineer. 124:  
278-279. September 28, 1917.
- Fuel alcohol in Australia. Int. R. Sci. and Prac. Ag. 8:  
1131-1132. November 1917.
- Industrial alcohol. Robt. N. Tweedy. Dublin, Plunkett House,  
1917. 38p.
- Industrial alcohol; a substitute for petrol. J. Dept. Ag. S.  
Australia. 20:961-962. July 1917.
1916. Alcohol - the fuel of the future. B. N. Click. Automobile.  
35:932-934. November 30, 1916. Supply from utilization  
of wood waste.
- Alcohol-benzol fuel. Automobile. 35:282. August 17, 1916.

1916. Denatured alcohol as a substitute for gasoline. S. Pike. Sci. Am. 114:449. April 29, 1916.
- Gasoline and the government. F. W. Currie. Country Gent. 81:1014-1015. May 13, 1916.
- Industrial alcohol, acetone, acetic acid; discussion. Ind. and Eng. Chem. 8:954-958. October 1916.
1915. Data on mixed motor fuels of interest for American export trade. Baron von Loew. Automobile. 33:709-711. October 14, 1915. Driving tests with benzol and benzol-alcohol mixtures. Results obtained in Germany.
- Fuel becomes French government monopoly in 1917. Automobile. 33:486. September 9, 1915.
- New alcohol fuel. Engineer. 119:584. June 11, 1915.
1914. Alcohol as fuel. B. O. Jenkins. Sci. Am. 111:509. December 19, 1914. Summary of the present situation with regard to the manufacture of ethyl alcohol as a fuel for internal combustion engines.
- Manufacture of ethyl alcohol as a fuel for internal combustion engines. B. O. Jenkins. Sci. Am. 111:509. December 19, 1914.
1912. Comparative fuel values of gasoline and denatured alcohol in internal-combustion engines. R. M. Strong and Lauson Strong. 1912. 243p. U. S. Bureau of Mines. Bulletin no. 43.
1911. Commercial deductions from comparisons of gasoline and alcohol tests on internal-combustion engines. R. M. Strong. 1911. 38p. U. S. Bureau of Mines. Bulletin no. 32. Summary of commercial results. Reprint of U. S. Geological Survey Bulletin no. 392.
1909. Commercial deductions from comparisons of gasoline and alcohol tests on internal-combustion engines. R. M. Strong. Washington, Government Printing Office, 1909. 38p. U. S. Geological Survey. Bulletin no. 392.
1907. Alcohol engines as a future power. E. Thomas. Elec. W. 49:20-22. 1907.



1907. Carbureting and combustion in alcohol engines. By Ernest Sorel.  
1st ed. Translated from French by S. M. Woodward and John  
Preston. N. Y., John Wiley and Sons, 1907. 269p.  
Work takes up and treats exhaustively the physical and chemical  
principles upon which the design of all satisfactory alcohol  
engines must depend. Deals but slightly, and then only in  
a general way, with what might be called the structural  
details of the alcohol engine.
- Comparative values of alcohol and gasoline for light and power.  
J. B. Davidson and M. L. King. 1907. 22p. Iowa  
Agricultural Experiment Station. Bulletin no. 93.
- Denatured or industrial alcohol. R. F. Herrick. N. Y.,  
John Wiley and Sons, 1907. 516p.
- Industrial alcohol. J. K. Brachvogel. N. Y., Munn and Co.,  
1907. 505p.
- Industrial alcohol. J. G. M'Intosh. London, Scott, Greenwood  
and Son, 1907. 252p.
- Tests of internal-combustion engines on alcohol fuel. C. E.  
Lucke and S. M. Woodward. Washington, Government Printing  
Office, 1907. U. S. Department of Agriculture. Office  
of Experiment Stations. Bulletin no. 191.
- Use of alcohol and gasoline in farm engines. C. E. Lucke and  
S. M. Woodward. Washington, Government Printing Office,  
1907. U. S. Department of Agriculture. Farmers'  
bulletin no. 277.

